

# D meson elliptic flow in non-central Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV

---

(ALICE Collaboration) Abelev, B.; ...; Antičić, Tome; ...; Gotovac, Sven;  
...; Mudnić, Eugen; ...; Planinić, Mirko; ...; ...

Source / Izvornik: **Physical Review Letters, 2013, 111**

Journal article, Published version

Rad u časopisu, Objavljena verzija rada (izdavačev PDF)

<https://doi.org/10.1103/PhysRevLett.111.102301>

Permanent link / Trajna poveznica: <https://urn.nsk.hr/urn:nbn:hr:217:753318>

Rights / Prava: [Attribution 3.0 Unported/Imenovanje 3.0](#)

Download date / Datum preuzimanja: **2025-01-24**



Repository / Repozitorij:

[Repository of the Faculty of Science - University of Zagreb](#)



**$D$  Meson Elliptic Flow in Noncentral Pb-Pb Collisions at  $\sqrt{s_{NN}} = 2.76$  TeV**B. Abelev *et al.*\*

(ALICE Collaboration)

(Received 14 May 2013; published 5 September 2013)

Azimuthally anisotropic distributions of  $D^0$ ,  $D^+$ , and  $D^{*+}$  mesons were studied in the central rapidity region ( $|y| < 0.8$ ) in Pb-Pb collisions at a center-of-mass energy  $\sqrt{s_{NN}} = 2.76$  TeV per nucleon-nucleon collision, with the ALICE detector at the LHC. The second Fourier coefficient  $v_2$  (commonly denoted elliptic flow) was measured in the centrality class 30%–50% as a function of the  $D$  meson transverse momentum  $p_T$ , in the range 2–16 GeV/ $c$ . The measured  $v_2$  of  $D$  mesons is comparable in magnitude to that of light-flavor hadrons. It is positive in the range  $2 < p_T < 6$  GeV/ $c$  with  $5.7\sigma$  significance, based on the combination of statistical and systematic uncertainties.

DOI: [10.1103/PhysRevLett.111.102301](https://doi.org/10.1103/PhysRevLett.111.102301)

PACS numbers: 25.75.-q, 24.10.Nz, 25.75.Ag, 25.75.Dw

Heavy-ion collisions at ultrarelativistic energies are aimed at exploring the structure of nuclear matter at extremely high temperatures and energy densities. Under these conditions, according to quantum chromodynamics (QCD) calculations on the lattice, the confinement of quarks and gluons inside hadrons is no longer effective and a phase transition to a quark-gluon plasma (QGP) occurs [1].

The measurement of anisotropy in the azimuthal distribution of particle momenta provides insight into the properties of the QGP medium. Anisotropy in particle momenta originates from the initial anisotropy in the spatial distribution of the nucleons participating in the collision. The anisotropy of produced particles is characterized by the Fourier coefficients  $v_n = \langle \cos[n(\varphi - \Psi_n)] \rangle$ , where  $\varphi$  is the azimuthal angle of the particle, and  $\Psi_n$  is the azimuthal angle of the initial state symmetry plane for the  $n$ th harmonic. For noncentral collisions the overlap region of the colliding nuclei has a lenticular shape and the anisotropy is dominated by the second coefficient  $v_2$ , commonly denoted elliptic flow [2,3].

The  $v_2$  values measured at RHIC and LHC can be described by the combination of two mechanisms [2,4–12]. The first one, dominant at low ( $p_T < 3$  GeV/ $c$ ) and intermediate (3–6 GeV/ $c$ ) transverse momentum, is the buildup of a collective expansion through interactions among the medium constituents. Elliptic flow develops mainly in the early stages of this collective expansion, when the spatial anisotropy is large [13–15]. The second mechanism is the path-length dependence of in-medium parton energy loss, due to medium-induced gluon radiation and elastic collisions. This is predicted to give rise to a positive  $v_2$  for hadrons up to large  $p_T$  [16,17].

The measurement of the elliptic flow of charmed hadrons provides further insight into the transport properties of the medium. In contrast to light quarks and gluons that can be produced or annihilated during the entire evolution of the medium, heavy quarks are produced predominantly in initial hard scattering processes and their annihilation rate is expected to be small [18]. Hence, the final state heavy-flavor hadrons at all transverse momenta originate from heavy quarks that experienced all stages of the system evolution. At low  $p_T$ , charmed hadron  $v_2$  offers a unique opportunity to test whether also quarks with large mass ( $m_c \approx 1.5$  GeV/ $c^2$ ) participate in the collective expansion dynamics and possibly thermalize in the medium [19,20]. Because of their large mass, charm quarks are expected to have a longer relaxation time, i.e., time scale for approaching equilibrium with the medium, with respect to light quarks [21]. At low and intermediate  $p_T$ , the  $D$  meson elliptic flow is expected to be sensitive to the heavy-quark hadronization mechanism. In case of substantial interactions with the medium, a significant fraction of low- and intermediate-momentum heavy quarks could hadronize via recombination with other quarks from the bulk of thermalized partons [22,23], thus enhancing the  $v_2$  of  $D$  mesons with respect to that of charm quarks [20]. In this context, the measurement of  $D$  meson  $v_2$  is also relevant for the interpretation of the results on  $J/\psi$  anisotropy [24], because  $J/\psi$ 's from  $c\bar{c}$  (re)combination would inherit the anisotropy of their constituent quarks [25,26]. At high  $p_T$ , the  $D$  meson  $v_2$  can constrain the path-length dependence of parton energy loss, complementing the measurement of the nuclear modification factor  $R_{AA}$  [27], defined as the ratio of the yield in nucleus-nucleus to that observed in  $pp$  collisions scaled by the number of binary nucleon-nucleon collisions. A large suppression of the inclusive  $D$  meson yield ( $R_{AA} \approx 0.25$ ) is observed in central Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV for  $p_T > 5$  GeV/ $c$  [28].

Theoretical models of heavy-quark interactions with the medium constituents predict, for semicentral collisions at the LHC, a large  $v_2$  (0.1–0.2) for  $D$  mesons at

\*Full author list given at end of the article.

Published by the American Physical Society under the terms of the [Creative Commons Attribution 3.0 License](https://creativecommons.org/licenses/by/3.0/). Further distribution of this work must maintain attribution to the author(s) and the published article's title, journal citation, and DOI.

$p_T \approx 2\text{--}3$  GeV/ $c$  and a decrease to about 0.05 at high  $p_T$  [29–33]. The elliptic flow of electrons from heavy-flavor decays was measured to be as large as 0.13 in Au-Au collisions at  $\sqrt{s_{NN}} = 200$  GeV [34,35].

In this Letter we present the measurement of  $v_2$  for  $D^0$ ,  $D^+$ , and  $D^{*+}$  mesons and their antiparticles reconstructed from their hadronic decays at midrapidity ( $|y| < 0.8$ ) in noncentral Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV.

The measurement was carried out with the ALICE detector at the LHC [36]. Particle reconstruction and identification were based on the detectors of the central barrel, located inside a solenoid magnet, which generates a 0.5 T field parallel to the beam direction.

The detectors used for the reconstruction of the trajectories of candidate  $D$  meson decay particles are the inner tracking system (ITS), composed of six cylindrical layers of silicon detectors [37], and the time projection chamber (TPC) [38]. The reconstructed particles are identified on the basis of their specific energy deposition  $dE/dx$  in the TPC gas and of their time of flight from the interaction point to the time of flight (TOF) detector. The ITS, TPC, and TOF detectors provide full azimuthal coverage in the pseudorapidity interval  $|\eta| < 0.9$ .

The analysis was performed on a sample of Pb-Pb collisions collected in 2011 with an interaction trigger that required coincident signals in both scintillator arrays of the VZERO detector, covering the full azimuth in the regions  $-3.7 < \eta < -1.7$  and  $2.8 < \eta < 5.1$ . Events were further selected off-line to remove background from beam-gas interactions, using the time information provided by the VZERO and the neutron zero-degree calorimeters. Only events with a vertex reconstructed within  $\pm 10$  cm from the center of the detector along the beam line were considered in the analysis. Collisions were classified according to their centrality, determined from the VZERO summed amplitudes and defined in terms of percentiles of the total hadronic Pb-Pb cross section [39].

The  $D$  meson  $v_2$  was measured for events in the centrality range 30%–50%, where the initial geometrical anisotropy and the medium density are large. In this range, the trigger and event selection are fully efficient for hadronic interactions. The number of selected events in the 30%–50% centrality class was  $9.5 \times 10^6$ , corresponding to an integrated luminosity of  $(6.2 \pm 0.2) \mu\text{b}^{-1}$ .

The decays  $D^0 \rightarrow K^- \pi^+$ ,  $D^+ \rightarrow K^- \pi^+ \pi^+$ , and  $D^{*+} \rightarrow D^0 \pi^+$ , and their charge conjugates, were reconstructed as described in [28,40].  $D^0$  and  $D^+$  candidates were formed using pairs and triplets of tracks with  $|\eta| < 0.8$ ,  $p_T > 0.4$  GeV/ $c$ , at least 70 associated space points in the TPC, and at least two hits in the ITS, of which at least one should be in either of the two innermost layers.  $D^{*+}$  candidates were formed by combining  $D^0$  candidates with tracks with  $|\eta| < 0.8$ ,  $p_T > 0.1$  GeV/ $c$ , and at least three associated hits in the ITS. The selection of tracks with  $|\eta| < 0.8$  limits the  $D$  meson acceptance in rapidity,

which, depending on  $p_T$ , varies from  $|y| < 0.7$  for  $p_T = 2$  GeV/ $c$  to  $|y| < 0.8$  for  $p_T > 5$  GeV/ $c$ .

$D$  meson candidates were selected with the same strategy as used in [28], in order to increase the statistical significance of the signal with respect to the large background of all possible track combinations. The selection of the decay topology was based on the displacement of the decay tracks from the interaction vertex, the separation between the secondary and primary vertices, and the pointing of the reconstructed  $D$  meson momentum to the primary vertex. The pion and kaon identification in the TPC and TOF detectors was utilized by applying cuts in units of resolution (at  $\pm 3\sigma$ ) around the expected mean values of  $dE/dx$  and time of flight.

The measurement of  $v_2$  was performed by correlating the candidate  $D$  meson azimuthal angle,  $\varphi_D$ , with the angle  $\psi_2$  of the so-called event plane [41], which is an estimator of the direction  $\Psi_2$  of the second-order initial-state symmetry plane. The event plane angle  $\psi_2$  was determined from the second harmonic of the azimuthal distribution of the detected charged particles:  $\psi_2 = (1/2)\tan^{-1}(Q_{2,y}/Q_{2,x})$ , where  $Q_{2,x}$  and  $Q_{2,y}$  are the transverse components of the second order flow vector,  $\vec{Q}_2$ , defined event by event from the azimuthal angles  $\varphi_i$  of a sample of  $N$  tracks,  $\vec{Q}_2 = (\sum_{i=1}^N w_i \cos 2\varphi_i, \sum_{i=1}^N w_i \sin 2\varphi_i)$ . The weights  $w_i$  correct for nonuniformities in the acceptance and efficiency of the detector, and optimize the event-plane resolution [41]. They are defined as the product of the track  $p_T$  and the inverse of the probability of reconstructing a particle with azimuthal angle  $\varphi_i$ . The tracks used to compute  $\vec{Q}_2$  were required to have at least 50 associated space points in the TPC,  $0 < \eta < 0.8$ ,  $p_T > 150$  MeV/ $c$ , and distance of closest approach to the primary vertex smaller than 3.2 cm along the beam direction and 2.4 cm in the transverse plane. To avoid auto correlations between the  $D$  mesons and the event plane, the angle  $\psi_2$  was recalculated for each candidate after subtracting from the  $\vec{Q}_2$  vector the contribution from the tracks used to form that particular candidate. A correlation of  $D$  mesons with the tracks used to determine the event plane could also originate from other sources, commonly denoted nonflow, which are not related to the correlation with the initial geometry symmetry plane, such as higher-mass particle decays or jets. Their effect was estimated to be small with respect to the other uncertainties by repeating the analysis using the event plane determined in a different  $\eta$  region with the VZERO detector.

$D$  meson candidates were classified in two groups according to their azimuthal angle relative to the event plane ( $\Delta\varphi = \varphi_D - \psi_2$ ): in-plane ( $]-(\pi/4), (\pi/4)[$  and  $](3\pi/4), (5\pi/4)[$ ) and out-of-plane ( $]-(\pi/4), (3\pi/4)[$  and  $](5\pi/4), (7\pi/4)[$ ).

The raw signal yields were extracted in each  $\Delta\varphi$  and  $p_T$  interval by means of a fit to the candidate invariant mass distributions (mass difference  $M(K\pi\pi) - M(K\pi)$  for  $D^{*+}$ ). The fitting function was the sum of a Gaussian

function to describe the signal and an exponential (for  $D^0$  and  $D^+$ ) or a power-law (for  $D^{*+}$ ) function for the background. An example fit is shown in Fig. 1 for  $D^0$  candidates. For each meson and in each  $p_T$  interval, the mean and the width of the Gaussian were fixed to those obtained from a fit to the invariant mass distribution integrated over  $\Delta\varphi$ , whose signal peak has larger statistical significance. The raw yields in the two  $\Delta\varphi$  intervals,  $N_{\text{in-plane}}$  and  $N_{\text{out-of-plane}}$ , were obtained as the integrals over the corresponding Gaussian signal functions.  $v_2$  was computed as

$$v_2 = \frac{1}{R_2} \frac{\pi}{4} \frac{N_{\text{in-plane}} - N_{\text{out-of-plane}}}{N_{\text{in-plane}} + N_{\text{out-of-plane}}}. \quad (1)$$

The factor  $\pi/4$  results from the integration of the second term,  $2v_2 \cos(2\Delta\varphi)$ , of the  $dN/d\varphi$  distribution in the considered  $\Delta\varphi$  intervals and the factor  $1/R_2$  is the correction for the finite resolution in the estimation of the symmetry plane  $\Psi_2$  via the event plane  $\psi_2$  [41].  $R_2$  was determined from the correlation between the event plane angles calculated from tracks reconstructed in the two sides of the TPC, namely,  $-0.8 < \eta < 0$  and  $0 < \eta < 0.8$ . The resulting value is  $R_2 = 0.8059 \pm 0.0001(\text{stat}) \pm 0.024(\text{syst})$ .

The measured  $D$  meson yield has a contribution from feed-down from  $B$  meson decays, which amounts to about 10%–20% [28,40], depending on the selection cuts and  $p_T$ . Indeed, the  $B$  feed-down contribution is enhanced by the selection criteria that are more efficient for feed-down  $D$  mesons, because their decay vertices are more displaced from the primary vertex. Thus, the measured  $v_2$  is a combination of those of promptly produced and of feed-down  $D$  mesons. Considering that the elliptic flow is additive, the value for promptly produced  $D$  mesons,  $v_2^{\text{prompt}}$ , can be obtained from the measured  $v_2^{\text{all}}$  as

$$v_2^{\text{prompt}} = \frac{v_2^{\text{all}}}{f_{\text{prompt}}} - \frac{1 - f_{\text{prompt}}}{f_{\text{prompt}}} v_2^{\text{feed-down}}, \quad (2)$$




FIG. 1 (color online). Invariant mass distributions for  $D^0$  candidates and their charge conjugates with  $3 < p_T < 4$  GeV/c for  $9.5 \times 10^6$  Pb-Pb collisions in the 30%–50% centrality class. The distributions are shown separately for the in-plane (open symbols) and out-of-plane (closed symbols) intervals of azimuthal angle. The curves show the fit functions as described in the text.

where  $f_{\text{prompt}}$  is the fraction of promptly produced  $D$  mesons in the measured raw yield and  $v_2^{\text{feed-down}}$  is the elliptic flow of  $D$  mesons from  $B$  decays, which depends on the dynamics of beauty quarks in the medium. These two quantities have not been measured. However, as it can be seen in Eq. (2),  $v_2^{\text{all}}$  coincides with  $v_2^{\text{prompt}}$ , independent of  $f_{\text{prompt}}$ , if  $v_2^{\text{feed-down}} = v_2^{\text{prompt}}$ . The assumption  $v_2^{\text{feed-down}} = v_2^{\text{prompt}}$  was used to compute the central value of the results for the prompt  $D$  meson elliptic flow. The systematic uncertainty related to this assumption is discussed below.

The contributions to the systematic uncertainty on the measured  $v_2$  originate from (i) determination of  $D$  meson yields and their anisotropy relative to the event plane (e.g., 10%–30% in  $4 < p_T < 6$  GeV/c depending on the meson species), (ii) nonflow effects and centrality dependence in the event plane resolution (3%), and (iii)  $B$  feed-down contribution (typically  $^{+45}_{-0}$  %).

The first contribution was estimated from the maximum deviation from the central  $v_2$  value obtained by repeating the yield extraction in each  $p_T$  and  $\Delta\varphi$  interval when varying the fit configuration: different fit functions were used for the background; the Gaussian width and mean were left as free parameters in the fit; the yield was defined by counting the histogram entries in the invariant mass region of the signal, after subtracting the background contribution estimated from a fit to the side bands.

The  $v_2$  result obtained with Eq. (1) was cross-checked by using an independent technique based on fits to the measured  $v_2$  of candidates as a function of their invariant mass,  $M$  [42]. Here  $v_2(M)$  was obtained with methods based on two-particle correlations, namely, the scalar product [43] and the  $Q$  cumulants [44].

It was checked that the results were stable against variations of the cuts applied for the selection of  $D$  meson candidates, and that the reconstruction and selection efficiencies from Monte Carlo simulations were compatible for the in-plane and out-of-plane  $D$  mesons.

The uncertainty on the correction factor  $R_2$  for the event plane resolution has two contributions. The first one is due to the centrality dependence of  $R_2$ . The average  $R_2$  in the 30%–50% centrality interval was computed assuming that the  $D$  meson yield is uniformly distributed as a function of centrality. A systematic uncertainty of 2% was assigned by comparing this value with an alternative estimation of the average where the  $R_2$  values in narrow centrality intervals were weighted with the  $D$  meson yields measured in the same intervals. The second contribution to the  $R_2$  uncertainty arises from the presence of nonflow correlations between the two subevents used to compute the resolution. The systematic uncertainty was estimated to be of 2.3% on the basis of the difference to the  $R_2$  value obtained using three subevents with a wider pseudorapidity gap, namely, TPC tracks and the signals in the two VZERO detectors.

The systematic uncertainty related to the contribution of  $D$  mesons from  $B$  decays was assigned by varying the




FIG. 2 (color online).  $v_2$  as a function of  $p_T$  for prompt  $D^0$ ,  $D^+$ , and  $D^{*+}$  mesons for Pb-Pb collisions in the centrality range 30%–50%. The central value was obtained with the assumption  $v_2^{\text{feed-down}} = v_2^{\text{prompt}}$ . Vertical error bars represent the statistical uncertainty, empty boxes the systematic uncertainty due to the  $D$  meson anisotropy measurement and the event-plane resolution, and shaded boxes show the uncertainty from the contribution of  $D$  mesons from  $B$  feed-down.

assumption on the elliptic flow of feed-down  $D$  mesons in Eq. (2) in the range  $0 \leq v_2^{\text{feed-down}} \leq v_2^{\text{prompt}}$ , which includes all model predictions [29–32]. The maximum variation corresponds to the case  $v_2^{\text{feed-down}} = 0$ , which gives  $v_2^{\text{prompt}} = v_2^{\text{all}}/f_{\text{prompt}}$ . Hence, the magnitude of the systematic uncertainty due to  $B$  feed-down is inversely proportional to  $f_{\text{prompt}}$ . We estimated  $f_{\text{prompt}}$  as described in [28] using (i) FONLL [45] predictions for prompt  $D$  and  $B$  mesons, (ii)  $B \rightarrow D + X$  decay kinematics from EVTGEN [46], (iii) reconstruction and selection efficiencies for prompt and feed-down  $D$  mesons from simulations, and (iv) a hypothesis on the nuclear modification factor of the feed-down  $D$  mesons,  $R_{AA}^{\text{feed-down}}$ . The latter factor accounts for the medium-induced modification of the  $p_T$  distribution of  $B$  mesons. Its contribution was determined by varying the ratio  $R_{AA}^{\text{feed-down}}/R_{AA}^{\text{prompt}}$  in the range 1–3, motivated by the lower value of  $R_{AA}$  of prompt  $D$  mesons measured by ALICE [28] with respect to preliminary results from the CMS experiment on the  $R_{AA}$  of  $J/\psi$  from  $B$  decays [47]. The  $B$  feed-down uncertainty was defined by the lower limit of the resulting  $f_{\text{prompt}}$  range, which depends on the  $D$  meson species and  $p_T$ . A typical value for this lower limit is 0.68, corresponding to a relative uncertainty on  $v_2^{\text{prompt}}$  of  $^{+45}_{-0}\%$ .

Figure 2 shows the measured  $v_2$  as a function of  $p_T$  for  $D^0$ ,  $D^+$ , and  $D^{*+}$  mesons in the 30%–50% centrality class. The symbols are positioned horizontally at the average  $p_T$  of reconstructed  $D$  mesons, determined as described in [40]. The elliptic flow of the three  $D$  meson species is consistent within uncertainties. An average  $v_2$ , and transverse momentum, of  $D^0$ ,  $D^+$ , and  $D^{*+}$  was computed using the statistical uncertainties as weights. The systematic uncertainties were propagated through the averaging procedure, treating the contributions from the event-plane resolution and the  $B$  feed-down correction as fully correlated among the three  $D$  meson species. The resulting  $D$  meson  $v_2$  is shown in Fig. 3. It is comparable in magnitude to that of charged particles, dominated by light-flavor

hadrons [11]. The average of the measured  $D$  meson  $v_2$  values in the interval  $2 < p_T < 6$  GeV/ $c$  is  $0.204 \pm 0.030$  (stat)  $\pm 0.020$  (syst)  $^{+0.092}_{-0}$  ( $B$  feed-down), which is larger than zero with  $5.7\sigma$  significance. This result indicates that the interactions with the medium constituents transfer to charm quarks information on the azimuthal anisotropy of the system, suggesting that low momentum charm quarks take part in the collective motion of the system. A positive  $v_2$  is also observed for  $p_T > 6$  GeV/ $c$ , which most likely originates from the path-length dependence of the partonic energy loss, although the large uncertainties do not allow for a firm conclusion.

In summary, we have presented the first measurement of the  $D$  meson elliptic flow coefficient  $v_2$  for semicentral Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV. A positive elliptic flow, with  $5.7\sigma$  significance in  $2 < p_T < 6$  GeV/ $c$ , is observed. This  $v_2$  measurement, together with the observed large suppression of  $D$  mesons in central




FIG. 3 (color online). Average of  $D^0$ ,  $D^+$ , and  $D^{*+}$   $v_2$  as a function of  $p_T$ , compared to charged-particle  $v_2$  [11] measured with the event plane (EP) method. The symbols are positioned horizontally at the average  $p_T$  of the three  $D$  meson species.

collisions [28], provides a stringent constraint to theoretical models describing the interaction of heavy quarks with the medium.

The ALICE Collaboration would like to thank all its engineers and technicians for their invaluable contributions to the construction of the experiment and the CERN accelerator teams for the outstanding performance of the LHC complex. The ALICE Collaboration would like to thank M. Cacciari for providing the pQCD predictions used for the feed-down correction. The ALICE Collaboration acknowledges the following funding agencies for their support in building and running the ALICE detector: State Committee of Science, World Federation of Scientists (WFS) and Swiss Fonds Kidagan, Armenia, Conselho Nacional de Desenvolvimento Científico e Tecnológico (CNPq), Financiadora de Estudos e Projetos (FINEP), Fundação de Amparo à Pesquisa do Estado de São Paulo (FAPESP); National Natural Science Foundation of China (NSFC), the Chinese Ministry of Education (CMOE) and the Ministry of Science and Technology of China (MSTC); Ministry of Education and Youth of the Czech Republic; Danish Natural Science Research Council, the Carlsberg Foundation and the Danish National Research Foundation; The European Research Council under the European Community's Seventh Framework Programme; Helsinki Institute of Physics and the Academy of Finland; French CNRS-IN2P3, the "Region Pays de Loire," "Region Alsace," "Region Auvergne," and CEA, France; German BMBF and the Helmholtz Association; General Secretariat for Research and Technology, Ministry of Development, Greece; Hungarian OTKA and National Office for Research and Technology (NKTH); Department of Atomic Energy and Department of Science and Technology of the Government of India; Istituto Nazionale di Fisica Nucleare (INFN) and Centro Fermi—Museo Storico della Fisica e Centro Studi e Ricerche "Enrico Fermi," Italy; MEXT Grant-in-Aid for Specially Promoted Research, Japan; Joint Institute for Nuclear Research, Dubna; National Research Foundation of Korea (NRF); CONACYT, DGAPA, México, ALFA-EC and the EPLANET Program (European Particle Physics Latin American Network) Stichting voor Fundamenteel Onderzoek der Materie (FOM) and the Nederlandse Organisatie voor Wetenschappelijk Onderzoek (NWO), Netherlands; Research Council of Norway (NFR); Polish Ministry of Science and Higher Education; National Authority for Scientific Research—NASR (Autoritatea Națională pentru Cercetare Științifică—ANCS); Ministry of Education and Science of Russian Federation, Russian Academy of Sciences, Russian Federal Agency of Atomic Energy, Russian Federal Agency for Science and Innovations and The Russian Foundation for Basic Research; Ministry of Education of Slovakia; Department of Science and Technology, South Africa; CIEMAT, EELA,

Ministerio de Economía y Competitividad (MINECO) of Spain, Xunta de Galicia (Consellería de Educación), CEADEN, Cubaenergía, Cuba, and IAEA (International Atomic Energy Agency); Swedish Research Council (VR) and Knut & Alice Wallenberg Foundation (KAW); Ukraine Ministry of Education and Science; United Kingdom Science and Technology Facilities Council (STFC); The United States Department of Energy, the United States National Science Foundation, the State of Texas, and the State of Ohio.

- 
- [1] F. Karsch, *J. Phys. Conf. Ser.* **46**, 122 (2006); S. Borsányi, Z. Fodor, C. Hoelbling, S. D. Katz, S. Krieg, C. Ratti, and K. K. Szabó, *J. High Energy Phys.* **09** (2010) 073; S. Borsanyi, G. Endrodi, Z. Fodor, A. Jakovac, S. D. Katz, S. Krieg, C. Ratti, and K. K. Szabo, *J. High Energy Phys.* **11** (2010) 077; S. Borsanyi, [arXiv:1210.6901](https://arxiv.org/abs/1210.6901); P. Petreczky, [arXiv:1301.6188](https://arxiv.org/abs/1301.6188).
  - [2] K. Aamodt *et al.* (ALICE Collaboration), *Phys. Rev. Lett.* **105**, 252302 (2010).
  - [3] K. Aamodt *et al.* (ALICE Collaboration), *Phys. Rev. Lett.* **107**, 032301 (2011).
  - [4] M. Luzum and P. Romatschke, *Phys. Rev. Lett.* **103**, 262302 (2009).
  - [5] K. H. Ackermann *et al.* (STAR Collaboration), *Phys. Rev. Lett.* **86**, 402 (2001).
  - [6] B. I. Abelev *et al.* (STAR Collaboration), *Phys. Rev. C* **77**, 054901 (2008).
  - [7] A. Adare *et al.* (PHENIX Collaboration), *Phys. Rev. Lett.* **105**, 142301 (2010).
  - [8] S. Chatrchyan *et al.* (CMS Collaboration), *Phys. Rev. C* **87**, 014902 (2013).
  - [9] G. Aad *et al.* (ATLAS Collaboration), *Phys. Lett. B* **707**, 330 (2012).
  - [10] S. Chatrchyan *et al.* (CMS Collaboration), *Phys. Rev. Lett.* **109**, 022301 (2012).
  - [11] B. Abelev *et al.* (ALICE Collaboration), [arXiv:1205.5761](https://arxiv.org/abs/1205.5761).
  - [12] W. A. Horowitz and M. Gyulassy, *J. Phys. G* **38**, 124114 (2011).
  - [13] J. Y. Ollitrault, *Phys. Rev. D* **46**, 229 (1992).
  - [14] P. F. Kolb and U. W. Heinz, in *Quark Gluon Plasma 3*, edited by R. C. Hwa *et al.* (World Scientific, Singapore, 2004), p. 634.
  - [15] U. W. Heinz, in *Relativistic Heavy Ion Physics*, Landolt-Boernstein New Series, I/23, edited by R. Stock (Springer Verlag, New York, 2010), Chap. 5.
  - [16] M. Gyulassy, I. Vitev, and X. N. Wang, *Phys. Rev. Lett.* **86**, 2537 (2001).
  - [17] E. V. Shuryak, *Phys. Rev. C* **66**, 027902 (2002).
  - [18] P. Braun-Munzinger, *J. Phys. G* **34**, S471 (2007).
  - [19] S. Batsouli, S. Kelly, M. Gyulassy, and J. L. Nagle, *Phys. Lett. B* **557**, 26 (2003).
  - [20] V. Greco, C. M. Ko, and R. Rapp, *Phys. Lett. B* **595**, 202 (2004).
  - [21] G. D. Moore and D. Teaney, *Phys. Rev. C* **71**, 064904 (2005).
  - [22] D. Molnar and S. A. Voloshin, *Phys. Rev. Lett.* **91**, 092301 (2003).

- [23] V. Greco, C. M. Ko, and P. Levai, *Phys. Rev. C* **68**, 034904 (2003).
- [24] E. Abbas *et al.* (ALICE Collaboration), [arXiv:1303.5880](https://arxiv.org/abs/1303.5880).
- [25] Y. Liu, N. Xu, and P. Zhuang, *Nucl. Phys.* **A834**, 317c (2010).
- [26] X. Zhao, A. Emerick, and R. Rapp, [arXiv:1210.6583](https://arxiv.org/abs/1210.6583).
- [27] K. Adcox *et al.* (PHENIX Collaboration), *Phys. Rev. Lett.* **88**, 022301 (2001).
- [28] B. Abelev *et al.* (ALICE Collaboration), *J. High Energy Phys.* **09** (2012) 112.
- [29] P. B. Gossiaux, S. Vogel, H. van Hees, J. Aichelin, R. Rapp, M. He, and M. Bluhm, [arXiv:1102.1114](https://arxiv.org/abs/1102.1114). J. Aichelin, P. B. Gossiaux, and T. Gousset, [arXiv:1201.4192](https://arxiv.org/abs/1201.4192).
- [30] M. He, R. J. Fries, and R. Rapp, *Phys. Rev. Lett.* **110**, 112301 (2013).
- [31] T. Lang, H. van Hees, J. Steinheimer, and M. Bleicher, [arXiv:1211.6912](https://arxiv.org/abs/1211.6912); T. Lang, H. van Hees, J. Steinheimer, Y.-P. Yan, and M. Bleicher, [arXiv:1212.0696](https://arxiv.org/abs/1212.0696).
- [32] J. Uphoff, O. Fochler, Z. Xu, and C. Greiner, *Phys. Rev. C* **84**, 024908 (2011).
- [33] W. M. Alberico, A. Beraudo, A. De Pace, A. Molinari, M. Monteno, M. Nardi, and F. Prino, *Eur. Phys. J. C* **71**, 1666 (2011).
- [34] S. S. Adler *et al.* (PHENIX Collaboration), *Phys. Rev. C* **72**, 024901 (2005).
- [35] A. Adare *et al.* (PHENIX Collaboration), *Phys. Rev. Lett.* **98**, 172301 (2007).
- [36] K. Aamodt *et al.* (ALICE Collaboration), *JINST* **3**, S08002 (2008).
- [37] K. Aamodt *et al.* (ALICE Collaboration), *JINST* **5**, P03003 (2010).
- [38] J. Alme *et al.*, *Nucl. Instrum. Methods Phys. Res., Sect. A* **622**, 316 (2010).
- [39] B. Abelev *et al.* (ALICE Collaboration), [arXiv:1301.4361](https://arxiv.org/abs/1301.4361).
- [40] B. Abelev *et al.* (ALICE Collaboration), *J. High Energy Phys.* **01** (2012) 128.
- [41] A. M. Poskanzer and S. A. Voloshin, *Phys. Rev. C* **58**, 1671 (1998).
- [42] N. Borghini and J. Y. Ollitrault, *Phys. Rev. C* **70**, 064905 (2004).
- [43] C. Adler *et al.* (STAR Collaboration), *Phys. Rev. C* **66**, 034904 (2002).
- [44] A. Bilandzic, R. Snellings, and S. Voloshin, *Phys. Rev. C* **83**, 044913 (2011).
- [45] M. Cacciari, S. Frixione, N. Houdeau, M. L. Mangano, P. Nason, and G. Ridolfi, CERN Report No. CERN-PH-TH/2011-227.
- [46] D. J. Lange, *Nucl. Instrum. Methods Phys. Res., Sect. A* **462**, 152 (2001).
- [47] CMS Collaboration, CMS Report No. CMS-PAS-HIN-12-014, 2012.

B. Abelev,<sup>1</sup> J. Adam,<sup>2</sup> D. Adamová,<sup>3</sup> A. M. Adare,<sup>4</sup> M. M. Aggarwal,<sup>5</sup> G. Aglieri Rinella,<sup>6</sup> M. Agnello,<sup>7,8</sup> A. G. Agocs,<sup>9</sup> A. Agostinelli,<sup>10</sup> Z. Ahammed,<sup>11</sup> N. Ahmad,<sup>12</sup> A. Ahmad Masoodi,<sup>12</sup> I. Ahmed,<sup>13</sup> S. U. Ahn,<sup>14</sup> S. A. Ahn,<sup>14</sup> I. Aimo,<sup>15,7,8</sup> M. Ajaz,<sup>13</sup> A. Akindinov,<sup>16</sup> D. Aleksandrov,<sup>17</sup> B. Alessandro,<sup>7</sup> D. Alexandre,<sup>18</sup> A. Alici,<sup>19,20</sup> A. Alkin,<sup>21</sup> J. Alme,<sup>22</sup> T. Alt,<sup>23</sup> V. Altini,<sup>24</sup> S. Altinpinar,<sup>25</sup> I. Altsybeev,<sup>26</sup> C. Andrei,<sup>27</sup> A. Andronic,<sup>28</sup> V. Anguelov,<sup>29</sup> J. Anielski,<sup>30</sup> C. Anson,<sup>31</sup> T. Antičić,<sup>32</sup> F. Antinori,<sup>33</sup> P. Antonioli,<sup>19</sup> L. Aphecetche,<sup>34</sup> H. Appelshäuser,<sup>35</sup> N. Arbor,<sup>36</sup> S. Arcelli,<sup>10</sup> A. Arend,<sup>35</sup> N. Armesto,<sup>37</sup> R. Arnaldi,<sup>7</sup> T. Aronsson,<sup>4</sup> I. C. Arsene,<sup>28</sup> M. Arslanodok,<sup>35</sup> A. Asryan,<sup>26</sup> A. Augustinus,<sup>6</sup> R. Averbeck,<sup>28</sup> T. C. Awes,<sup>38</sup> J. Äystö,<sup>39</sup> M. D. Azmi,<sup>12,40</sup> M. Bach,<sup>23</sup> A. Badalà,<sup>41</sup> Y. W. Baek,<sup>42,43</sup> R. Bailhache,<sup>35</sup> R. Bala,<sup>44,7</sup> A. Baldisseri,<sup>45</sup> F. Baltasar Dos Santos Pedrosa,<sup>6</sup> J. Bán,<sup>46</sup> R. C. Baral,<sup>47</sup> R. Barbera,<sup>48</sup> F. Barile,<sup>24</sup> G. G. Barnaföldi,<sup>9</sup> L. S. Barnby,<sup>18</sup> V. Barret,<sup>42</sup> J. Bartke,<sup>49</sup> M. Basile,<sup>10</sup> N. Bastid,<sup>42</sup> S. Basu,<sup>11</sup> B. Bathen,<sup>30</sup> G. Batigne,<sup>34</sup> B. Batyunya,<sup>50</sup> P. C. Batzing,<sup>51</sup> C. Baumann,<sup>35</sup> I. G. Bearden,<sup>52</sup> H. Beck,<sup>35</sup> N. K. Behera,<sup>53</sup> I. Belikov,<sup>54</sup> F. Bellini,<sup>10</sup> R. Bellwied,<sup>55</sup> E. Belmont-Moreno,<sup>56</sup> G. Bencedi,<sup>9</sup> S. Beole,<sup>15</sup> I. Berceanu,<sup>27</sup> A. Bercuci,<sup>27</sup> Y. Berdnikov,<sup>57</sup> D. Berenyi,<sup>9</sup> A. A. E. Bergognon,<sup>34</sup> R. A. Bertens,<sup>58</sup> D. Berzano,<sup>15,7</sup> L. Betev,<sup>6</sup> A. Bhasin,<sup>44</sup> A. K. Bhati,<sup>5</sup> J. Bhom,<sup>59</sup> N. Bianchi,<sup>60</sup> L. Bianchi,<sup>15</sup> C. Bianchin,<sup>58</sup> J. Bielčik,<sup>2</sup> J. Bielčiková,<sup>3</sup> A. Bilandzic,<sup>52</sup> S. Bjelogrić,<sup>58</sup> F. Blanco,<sup>61</sup> F. Blanco,<sup>55</sup> D. Blau,<sup>17</sup> C. Blume,<sup>35</sup> M. Boccioni,<sup>6</sup> S. Böttger,<sup>62</sup> A. Bogdanov,<sup>63</sup> H. Bøggild,<sup>52</sup> M. Bogolyubsky,<sup>64</sup> L. Boldizsár,<sup>9</sup> M. Bombara,<sup>65</sup> J. Book,<sup>35</sup> H. Borel,<sup>45</sup> A. Borissov,<sup>66</sup> F. Bossú,<sup>40</sup> M. Botje,<sup>67</sup> E. Botta,<sup>15</sup> E. Braidot,<sup>68</sup> P. Braun-Munzinger,<sup>28</sup> M. Bregant,<sup>34</sup> T. Breitner,<sup>62</sup> T. A. Broker,<sup>35</sup> T. A. Browning,<sup>69</sup> M. Broz,<sup>70</sup> R. Brun,<sup>6</sup> E. Bruna,<sup>15,7</sup> G. E. Bruno,<sup>24</sup> D. Budnikov,<sup>71</sup> H. Buesching,<sup>35</sup> S. Bufalino,<sup>15,7</sup> P. Buncic,<sup>6</sup> O. Busch,<sup>29</sup> Z. Buthelezi,<sup>40</sup> D. Caffarri,<sup>72,33</sup> X. Cai,<sup>73</sup> H. Caines,<sup>4</sup> A. Caliva,<sup>58</sup> E. Calvo Villar,<sup>74</sup> P. Camerini,<sup>75</sup> V. Canoa Roman,<sup>76</sup> G. Cara Romeo,<sup>19</sup> F. Carena,<sup>6</sup> W. Carena,<sup>6</sup> N. Carlin Filho,<sup>77</sup> F. Carminati,<sup>6</sup> A. Casanova Díaz,<sup>60</sup> J. Castillo Castellanos,<sup>45</sup> J. F. Castillo Hernandez,<sup>28</sup> E. A. R. Casula,<sup>78</sup> V. Catanescu,<sup>27</sup> C. Cavicchioli,<sup>6</sup> C. Ceballos Sanchez,<sup>79</sup> J. Cepila,<sup>2</sup> P. Cerello,<sup>7</sup> B. Chang,<sup>39,80</sup> S. Chapeland,<sup>6</sup> J. L. Charvet,<sup>45</sup> S. Chattopadhyay,<sup>81</sup> S. Chattopadhyay,<sup>11</sup> M. Cherney,<sup>82</sup> C. Cheshkov,<sup>6,83</sup> B. Cheynis,<sup>83</sup> V. Chibante Barroso,<sup>6</sup> D. D. Chinellato,<sup>55</sup> P. Chochula,<sup>6</sup> M. Chojnacki,<sup>52</sup> S. Choudhury,<sup>11</sup> P. Christakoglou,<sup>67</sup> C. H. Christensen,<sup>52</sup> P. Christiansen,<sup>84</sup> T. Chujo,<sup>59</sup> S. U. Chung,<sup>85</sup> C. Cicalo,<sup>86</sup> L. Cifarelli,<sup>10,20</sup> F. Cindolo,<sup>19</sup> J. Cleymans,<sup>40</sup> F. Colamaria,<sup>24</sup> D. Colella,<sup>24</sup> A. Collu,<sup>78</sup> G. Conesa Balbastre,<sup>36</sup> Z. Conesa del Valle,<sup>6,87</sup> M. E. Connors,<sup>4</sup> G. Contin,<sup>75</sup> J. G. Contreras,<sup>76</sup> T. M. Cormier,<sup>66</sup> Y. Corrales Morales,<sup>15</sup> P. Cortese,<sup>88</sup> I. Cortés Maldonado,<sup>89</sup> M. R. Cosentino,<sup>68</sup> F. Costa,<sup>6</sup> M. E. Cotallo,<sup>61</sup> E. Crescio,<sup>76</sup> P. Crochet,<sup>42</sup> E. Cruz Alaniz,<sup>56</sup> R. Cruz Albino,<sup>76</sup>

E. Cuautle,<sup>90</sup> L. Cunqueiro,<sup>60</sup> A. Dainese,<sup>72,33</sup> R. Dang,<sup>73</sup> A. Danu,<sup>91</sup> S. Das,<sup>92</sup> K. Das,<sup>81</sup> I. Das,<sup>87</sup> D. Das,<sup>81</sup> S. Dash,<sup>53</sup> A. Dash,<sup>93</sup> S. De,<sup>11</sup> G. O. V. de Barros,<sup>77</sup> A. De Caro,<sup>94,20</sup> G. de Cataldo,<sup>95</sup> J. de Cuveland,<sup>23</sup> A. De Falco,<sup>78</sup> D. De Gruttola,<sup>94,20</sup> H. Delagrange,<sup>34</sup> A. Deloff,<sup>96</sup> N. De Marco,<sup>7</sup> E. Dénes,<sup>9</sup> S. De Pasquale,<sup>94</sup> A. Deppman,<sup>77</sup> G. D'Erasmus,<sup>24</sup> R. de Rooij,<sup>58</sup> M. A. Diaz Corchero,<sup>61</sup> D. Di Bari,<sup>24</sup> T. Dietel,<sup>30</sup> C. Di Giglio,<sup>24</sup> S. Di Liberto,<sup>97</sup> A. Di Mauro,<sup>6</sup> P. Di Nezza,<sup>60</sup> R. Divià,<sup>6</sup> Ø. Djuvsland,<sup>25</sup> A. Dobrin,<sup>66,84,58</sup> T. Dobrowolski,<sup>96</sup> B. Dönigus,<sup>28,35</sup> O. Dordic,<sup>51</sup> A. K. Dubey,<sup>11</sup> A. Dubla,<sup>58</sup> L. Ducroux,<sup>83</sup> P. Dupieux,<sup>42</sup> A. K. Dutta Majumdar,<sup>81</sup> D. Elia,<sup>95</sup> B. G. Elwood,<sup>98</sup> D. Emschermann,<sup>30</sup> H. Engel,<sup>62</sup> B. Erazmus,<sup>6,34</sup> H. A. Erdal,<sup>22</sup> D. Eschweiler,<sup>23</sup> B. Espagnon,<sup>87</sup> M. Estienne,<sup>34</sup> S. Esumi,<sup>59</sup> D. Evans,<sup>18</sup> S. Evdokimov,<sup>64</sup> G. Eyyubova,<sup>51</sup> D. Fabris,<sup>72,33</sup> J. Faivre,<sup>36</sup> D. Falchieri,<sup>10</sup> A. Fantoni,<sup>60</sup> M. Fasel,<sup>29</sup> D. Fehlker,<sup>25</sup> L. Feldkamp,<sup>30</sup> D. Felea,<sup>91</sup> A. Feliciello,<sup>7</sup> B. Fenton-Olsen,<sup>68</sup> G. Feofilov,<sup>26</sup> A. Fernández Téllez,<sup>89</sup> A. Ferretti,<sup>15</sup> A. Festanti,<sup>72</sup> J. Figiel,<sup>49</sup> M. A. S. Figueredo,<sup>77</sup> S. Filchagin,<sup>71</sup> D. Finogeev,<sup>99</sup> F. M. Fionda,<sup>24</sup> E. M. Fiore,<sup>24</sup> E. Floratos,<sup>100</sup> M. Floris,<sup>6</sup> S. Foertsch,<sup>40</sup> P. Foka,<sup>28</sup> S. Fokin,<sup>17</sup> E. Fragiaco,<sup>101</sup> A. Francescon,<sup>6,72</sup> U. Frankenfeld,<sup>28</sup> U. Fuchs,<sup>6</sup> C. Furget,<sup>36</sup> M. Fusco Girard,<sup>94</sup> J. J. Gaardhøje,<sup>52</sup> M. Gagliardi,<sup>15</sup> A. Gago,<sup>74</sup> M. Gallio,<sup>15</sup> D. R. Gangadharan,<sup>31</sup> P. Ganoti,<sup>38</sup> C. Garabatos,<sup>28</sup> E. Garcia-Solis,<sup>98</sup> C. Gargiulo,<sup>6</sup> I. Garishvili,<sup>1</sup> J. Gerhard,<sup>23</sup> M. Germain,<sup>34</sup> C. Geuna,<sup>45</sup> A. Gheata,<sup>6</sup> M. Gheata,<sup>91,6</sup> B. Ghidini,<sup>24</sup> P. Ghosh,<sup>11</sup> P. Gianotti,<sup>60</sup> P. Giubellino,<sup>6</sup> E. Gladysz-Dziadus,<sup>49</sup> P. Glässel,<sup>29</sup> L. Goerlich,<sup>49</sup> R. Gomez,<sup>102,76</sup> E. G. Ferreira,<sup>37</sup> P. González-Zamora,<sup>61</sup> S. Gorbunov,<sup>23</sup> A. Goswami,<sup>103</sup> S. Gotovac,<sup>104</sup> L. K. Graczykowski,<sup>105</sup> R. Grajcarek,<sup>29</sup> A. Grelli,<sup>58</sup> C. Grigoras,<sup>6</sup> A. Grigoras,<sup>6</sup> V. Grigoriev,<sup>63</sup> S. Grigoryan,<sup>50</sup> A. Grigoryan,<sup>106</sup> B. Grinyov,<sup>21</sup> N. Grion,<sup>101</sup> P. Gros,<sup>84</sup> J. F. Grosse-Oetringhaus,<sup>6</sup> J.-Y. Grossiord,<sup>83</sup> R. Grosso,<sup>6</sup> F. Guber,<sup>99</sup> R. Guernane,<sup>36</sup> B. Guerzoni,<sup>10</sup> M. Guilbaud,<sup>83</sup> K. Gulbrandsen,<sup>52</sup> H. Gulkanyan,<sup>106</sup> T. Gunji,<sup>107</sup> A. Gupta,<sup>44</sup> R. Gupta,<sup>44</sup> R. Haake,<sup>30</sup> Ø. Haaland,<sup>25</sup> C. Hadjidakis,<sup>87</sup> M. Haiduc,<sup>91</sup> H. Hamagaki,<sup>107</sup> G. Hamar,<sup>9</sup> B. H. Han,<sup>108</sup> L. D. Hanratty,<sup>18</sup> A. Hansen,<sup>52</sup> J. W. Harris,<sup>4</sup> A. Harton,<sup>98</sup> D. Hatzifotiadou,<sup>19</sup> S. Hayashi,<sup>107</sup> A. Hayrapetyan,<sup>6,106</sup> S. T. Heckel,<sup>35</sup> M. Heide,<sup>30</sup> H. Helstrup,<sup>22</sup> A. Herghelegiu,<sup>27</sup> G. Herrera Corral,<sup>76</sup> N. Herrmann,<sup>29</sup> B. A. Hess,<sup>109</sup> K. F. Hetland,<sup>22</sup> B. Hicks,<sup>4</sup> B. Hippolyte,<sup>54</sup> Y. Hori,<sup>107</sup> P. Hristov,<sup>6</sup> I. Hřivnáčová,<sup>87</sup> M. Huang,<sup>25</sup> T. J. Humanic,<sup>31</sup> D. S. Hwang,<sup>108</sup> R. Ichou,<sup>42</sup> R. Ilkaev,<sup>71</sup> I. Ilkiv,<sup>96</sup> M. Inaba,<sup>59</sup> E. Incani,<sup>78</sup> P. G. Innocenti,<sup>6</sup> G. M. Innocenti,<sup>15</sup> C. Ionita,<sup>6</sup> M. Ippolitov,<sup>17</sup> M. Irfan,<sup>12</sup> C. Ivan,<sup>28</sup> A. Ivanov,<sup>26</sup> M. Ivanov,<sup>28</sup> V. Ivanov,<sup>57</sup> O. Ivanytskyi,<sup>21</sup> A. Jachoňkowski,<sup>48</sup> P. M. Jacobs,<sup>68</sup> C. Jahnke,<sup>77</sup> H. J. Jang,<sup>14</sup> M. A. Janik,<sup>105</sup> P. H. S. Y. Jayarathna,<sup>55</sup> S. Jena,<sup>53</sup> D. M. Jha,<sup>66</sup> R. T. Jimenez Bustamante,<sup>90</sup> P. G. Jones,<sup>18</sup> H. Jung,<sup>43</sup> A. Jusko,<sup>18</sup> A. B. Kaidalov,<sup>16</sup> S. Kalcher,<sup>23</sup> P. Kaliňák,<sup>46</sup> T. Kalliokoski,<sup>39</sup> A. Kalweit,<sup>6</sup> J. H. Kang,<sup>80</sup> V. Kaplin,<sup>63</sup> S. Kar,<sup>11</sup> A. Karasu Uysal,<sup>110</sup> O. Karavichev,<sup>99</sup> T. Karavicheva,<sup>99</sup> E. Karpechev,<sup>99</sup> A. Kazantsev,<sup>17</sup> U. Kbschull,<sup>62</sup> R. Keidel,<sup>111</sup> B. Ketzer,<sup>35,112</sup> S. A. Khan,<sup>11</sup> M. M. Khan,<sup>12</sup> K. H. Khan,<sup>13</sup> P. Khan,<sup>81</sup> A. Khanzadeev,<sup>57</sup> Y. Kharlov,<sup>64</sup> B. Kileng,<sup>22</sup> J. H. Kim,<sup>108</sup> D. W. Kim,<sup>43,14</sup> T. Kim,<sup>80</sup> S. Kim,<sup>108</sup> B. Kim,<sup>80</sup> M. Kim,<sup>80</sup> M. Kim,<sup>43</sup> J. S. Kim,<sup>43</sup> D. J. Kim,<sup>39</sup> S. Kirsch,<sup>23</sup> I. Kisel,<sup>23</sup> S. Kiselev,<sup>16</sup> A. Kisiel,<sup>105</sup> J. L. Klay,<sup>113</sup> J. Klein,<sup>29</sup> C. Klein-Bösing,<sup>30</sup> M. Kliemant,<sup>35</sup> A. Kluge,<sup>6</sup> M. L. Knichel,<sup>28</sup> A. G. Knospe,<sup>114</sup> M. K. Köhler,<sup>28</sup> T. Kollegger,<sup>23</sup> A. Kolojvari,<sup>26</sup> M. Kompaniets,<sup>26</sup> V. Kondratiev,<sup>26</sup> N. Kondratyeva,<sup>63</sup> A. Konevskikh,<sup>99</sup> V. Kovalenko,<sup>26</sup> M. Kowalski,<sup>49</sup> S. Kox,<sup>36</sup> G. Koyithatta Meethalevedu,<sup>53</sup> J. Kral,<sup>39</sup> I. Králik,<sup>46</sup> F. Kramer,<sup>35</sup> A. Kravčáková,<sup>65</sup> M. Krelina,<sup>2</sup> M. Kretz,<sup>23</sup> M. Krivda,<sup>18,46</sup> F. Krizek,<sup>39</sup> M. Krus,<sup>2</sup> E. Kryshen,<sup>57</sup> M. Krzewicki,<sup>28</sup> V. Kucera,<sup>3</sup> Y. Kucheriaev,<sup>17</sup> T. Kugathanan,<sup>6</sup> C. Kuhn,<sup>54</sup> P. G. Kuijjer,<sup>67</sup> I. Kulakov,<sup>35</sup> J. Kumar,<sup>53</sup> P. Kurashvili,<sup>96</sup> A. B. Kurepin,<sup>99</sup> A. Kurepin,<sup>99</sup> A. Kuryakin,<sup>71</sup> S. Kushpil,<sup>3</sup> V. Kushpil,<sup>3</sup> H. Kvaerno,<sup>51</sup> M. J. Kweon,<sup>29</sup> Y. Kwon,<sup>80</sup> P. Ladrón de Guevara,<sup>90</sup> C. Lagana Fernandes,<sup>77</sup> I. Lakomov,<sup>87</sup> R. Langoy,<sup>115</sup> S. L. La Pointe,<sup>58</sup> C. Lara,<sup>62</sup> A. Lardeux,<sup>34</sup> P. La Rocca,<sup>48</sup> R. Lea,<sup>75</sup> M. Lechman,<sup>6</sup> S. C. Lee,<sup>43</sup> G. R. Lee,<sup>18</sup> I. Legrand,<sup>6</sup> J. Lehnert,<sup>35</sup> R. C. Lemmon,<sup>116</sup> M. Lenhardt,<sup>28</sup> V. Lenti,<sup>95</sup> H. León,<sup>56</sup> M. Leoncino,<sup>15</sup> I. León Monzón,<sup>102</sup> P. Lévai,<sup>9</sup> S. Li,<sup>42,73</sup> J. Lien,<sup>25,115</sup> R. Lietava,<sup>18</sup> S. Lindal,<sup>51</sup> V. Lindenstruth,<sup>23</sup> C. Lippmann,<sup>28,6</sup> M. A. Lisa,<sup>31</sup> H. M. Ljunggren,<sup>84</sup> D. F. Lodato,<sup>58</sup> P. I. Loenne,<sup>25</sup> V. R. Loggins,<sup>66</sup> V. Loginov,<sup>63</sup> D. Lohner,<sup>29</sup> C. Loizides,<sup>68</sup> K. K. Loo,<sup>39</sup> X. Lopez,<sup>42</sup> E. López Torres,<sup>79</sup> G. Løvhøiden,<sup>51</sup> X.-G. Lu,<sup>29</sup> P. Luettig,<sup>35</sup> M. Lunardon,<sup>72</sup> J. Luo,<sup>73</sup> G. Luparello,<sup>58</sup> C. Luzzi,<sup>6</sup> R. Ma,<sup>4</sup> K. Ma,<sup>73</sup> D. M. Madagodahettige-Don,<sup>55</sup> A. Maevskaia,<sup>99</sup> M. Mager,<sup>117,6</sup> D. P. Mahapatra,<sup>47</sup> A. Maire,<sup>29</sup> M. Malaev,<sup>57</sup> I. Maldonado Cervantes,<sup>90</sup> L. Malinina,<sup>50,118</sup> D. Mal'Kevich,<sup>16</sup> P. Malzacher,<sup>28</sup> A. Mamonov,<sup>71</sup> L. Manceau,<sup>7</sup> L. Mangotra,<sup>44</sup> V. Manko,<sup>17</sup> F. Manso,<sup>42</sup> V. Manzari,<sup>95</sup> M. Marchisone,<sup>42,15</sup> J. Mareš,<sup>119</sup> G. V. Margagliotti,<sup>75,101</sup> A. Margotti,<sup>19</sup> A. Marín,<sup>28</sup> C. Markert,<sup>114</sup> M. Marquard,<sup>35</sup> I. Martashvili,<sup>120</sup> N. A. Martin,<sup>28</sup> J. Martin Blanco,<sup>34</sup> P. Martinengo,<sup>6</sup> M. I. Martínez,<sup>89</sup> G. Martínez García,<sup>34</sup> Y. Martynov,<sup>21</sup> A. Mas,<sup>34</sup> S. Masciocchi,<sup>28</sup> M. Masera,<sup>15</sup> A. Masoni,<sup>86</sup> L. Massacrier,<sup>34</sup> A. Mastroserio,<sup>24</sup> A. Matyja,<sup>49</sup> C. Mayer,<sup>49</sup> J. Mazer,<sup>120</sup> R. Mazumder,<sup>121</sup> M. A. Mazzoni,<sup>97</sup> F. Meddi,<sup>122</sup> A. Menchaca-Rocha,<sup>56</sup> J. Mercado Pérez,<sup>29</sup> M. Meres,<sup>70</sup> Y. Miake,<sup>59</sup> K. Mikhaylov,<sup>50,16</sup> L. Milano,<sup>6,15</sup> J. Milosevic,<sup>51,123</sup> A. Mischke,<sup>58</sup> A. N. Mishra,<sup>103,121</sup> D. Miśkowiec,<sup>28</sup> C. Mitu,<sup>91</sup>



- S. Mizuno,<sup>59</sup> J. Mlynarz,<sup>66</sup> B. Mohanty,<sup>11,124</sup> L. Molnar,<sup>9,54</sup> L. Montaña Zetina,<sup>76</sup> M. Monteno,<sup>7</sup> E. Montes,<sup>61</sup> T. Moon,<sup>80</sup> M. Morando,<sup>72</sup> D. A. Moreira De Godoy,<sup>77</sup> S. Moretto,<sup>72</sup> A. Morreale,<sup>39</sup> A. Morsch,<sup>6</sup> V. Muccifora,<sup>60</sup> E. Mudnic,<sup>104</sup> S. Muhuri,<sup>11</sup> M. Mukherjee,<sup>11</sup> H. Müller,<sup>6</sup> M. G. Munhoz,<sup>77</sup> S. Murray,<sup>40</sup> L. Musa,<sup>6</sup> J. Musinsky,<sup>46</sup> B. K. Nandi,<sup>53</sup> R. Nania,<sup>19</sup> E. Nappi,<sup>95</sup> C. Nattrass,<sup>120</sup> T. K. Nayak,<sup>11</sup> S. Nazarenko,<sup>71</sup> A. Nedosekin,<sup>16</sup> M. Nicassio,<sup>24,28</sup> M. Niculescu,<sup>91,6</sup> B. S. Nielsen,<sup>52</sup> T. Niida,<sup>59</sup> S. Nikolaev,<sup>17</sup> V. Nikolic,<sup>32</sup> S. Nikulin,<sup>17</sup> V. Nikulin,<sup>57</sup> B. S. Nilsen,<sup>82</sup> M. S. Nilsson,<sup>51</sup> F. Noferini,<sup>19,20</sup> P. Nomokonov,<sup>50</sup> G. Nooren,<sup>58</sup> A. Nyanin,<sup>17</sup> A. Nyatha,<sup>53</sup> C. Nygaard,<sup>52</sup> J. Nystrand,<sup>25</sup> A. Ochirov,<sup>26</sup> H. Oeschler,<sup>117,6,29</sup> S. K. Oh,<sup>43</sup> S. Oh,<sup>4</sup> J. Oleniacz,<sup>105</sup> A. C. Oliveira Da Silva,<sup>77</sup> J. Onderwaater,<sup>28</sup> C. Oppedisano,<sup>7</sup> A. Ortiz Velasquez,<sup>84,90</sup> G. Ortona,<sup>15</sup> A. Oskarsson,<sup>84</sup> P. Ostrowski,<sup>105</sup> J. Otwinowski,<sup>28</sup> K. Oyama,<sup>29</sup> K. Ozawa,<sup>107</sup> Y. Pachmayer,<sup>29</sup> M. Pachr,<sup>2</sup> F. Padilla,<sup>15</sup> P. Pagano,<sup>94</sup> G. Pać,<sup>90</sup> F. Painke,<sup>23</sup> C. Pajares,<sup>37</sup> S. K. Pal,<sup>11</sup> A. Palaha,<sup>18</sup> A. Palmeri,<sup>41</sup> V. Papikyan,<sup>106</sup> G. S. Pappalardo,<sup>41</sup> W. J. Park,<sup>28</sup> A. Passfeld,<sup>30</sup> D. I. Patalakha,<sup>64</sup> V. Paticchio,<sup>95</sup> B. Paul,<sup>81</sup> A. Pavlinov,<sup>66</sup> T. Pawlak,<sup>105</sup> T. Peitzmann,<sup>58</sup> H. Pereira Da Costa,<sup>45</sup> E. Pereira De Oliveira Filho,<sup>77</sup> D. Peresunko,<sup>17</sup> C. E. Pérez Lara,<sup>67</sup> D. Perrino,<sup>24</sup> W. Peryt,<sup>105</sup> A. Pesci,<sup>19</sup> Y. Pestov,<sup>125</sup> V. Petráček,<sup>2</sup> M. Petran,<sup>2</sup> M. Petris,<sup>27</sup> P. Petrov,<sup>18</sup> M. Petrovici,<sup>27</sup> C. Petta,<sup>48</sup> S. Piano,<sup>101</sup> M. Pikna,<sup>70</sup> P. Pillot,<sup>34</sup> O. Pinazza,<sup>6</sup> L. Pinsky,<sup>55</sup> N. Pitz,<sup>35</sup> D. B. Piyarathna,<sup>55</sup> M. Planinic,<sup>32</sup> M. Płoskoń,<sup>68</sup> J. Pluta,<sup>105</sup> T. Pocheptsov,<sup>50</sup> S. Pochybova,<sup>9</sup> P. L. M. Podesta-Lerma,<sup>102</sup> M. G. Poghosyan,<sup>6</sup> K. Polák,<sup>119</sup> B. Polichtchouk,<sup>64</sup> N. Poljak,<sup>58,32</sup> A. Pop,<sup>27</sup> S. Porteboeuf-Houssais,<sup>42</sup> V. Pospíšil,<sup>2</sup> B. Potukuchi,<sup>44</sup> S. K. Prasad,<sup>66</sup> R. Preghenella,<sup>19,20</sup> F. Prino,<sup>7</sup> C. A. Pruneau,<sup>66</sup> I. Pshenichnov,<sup>99</sup> G. Puddu,<sup>78</sup> V. Punin,<sup>71</sup> J. Putschke,<sup>66</sup> H. Qvigstad,<sup>51</sup> A. Rachevski,<sup>101</sup> A. Rademakers,<sup>6</sup> J. Rak,<sup>39</sup> A. Rakotozafindrabe,<sup>45</sup> L. Ramello,<sup>88</sup> S. Raniwala,<sup>103</sup> R. Raniwala,<sup>103</sup> S. S. Räsänen,<sup>39</sup> B. T. Rascanu,<sup>35</sup> D. Rathee,<sup>5</sup> W. Rauch,<sup>6</sup> A. W. Rauf,<sup>13</sup> V. Razazi,<sup>78</sup> K. F. Read,<sup>120</sup> J. S. Real,<sup>36</sup> K. Redlich,<sup>96,126</sup> R. J. Reed,<sup>4</sup> A. Rehman,<sup>25</sup> P. Reichelt,<sup>35</sup> M. Reicher,<sup>58</sup> F. Reidt,<sup>29</sup> R. Renfordt,<sup>35</sup> A. R. Reolon,<sup>60</sup> A. Reshetin,<sup>99</sup> F. Rettig,<sup>23</sup> J.-P. Revol,<sup>6</sup> K. Reygers,<sup>29</sup> L. Riccati,<sup>7</sup> R. A. Ricci,<sup>127</sup> T. Richert,<sup>84</sup> M. Richter,<sup>51</sup> P. Riedler,<sup>6</sup> W. Riegler,<sup>6</sup> F. Riggi,<sup>48,41</sup> A. Rivetti,<sup>7</sup> M. Rodríguez Cahuantzi,<sup>89</sup> A. Rodríguez Manso,<sup>67</sup> K. Røed,<sup>25,51</sup> E. Rogochaya,<sup>50</sup> D. Rohr,<sup>23</sup> D. Röhrich,<sup>25</sup> R. Romita,<sup>28,116</sup> F. Ronchetti,<sup>60</sup> P. Rosnet,<sup>42</sup> S. Rossegger,<sup>6</sup> A. Rossi,<sup>6</sup> C. Roy,<sup>54</sup> P. Roy,<sup>81</sup> A. J. Rubio Montero,<sup>61</sup> R. Rui,<sup>75</sup> R. Russo,<sup>15</sup> E. Ryabinkin,<sup>17</sup> A. Rybicki,<sup>49</sup> S. Sadovsky,<sup>64</sup> K. Šafařík,<sup>6</sup> R. Sahoo,<sup>121</sup> P. K. Sahu,<sup>47</sup> J. Saini,<sup>11</sup> H. Sakaguchi,<sup>128</sup> S. Sakai,<sup>68,60</sup> D. Sakata,<sup>59</sup> C. A. Salgado,<sup>37</sup> J. Salzwedel,<sup>31</sup> S. Sambyal,<sup>44</sup> V. Samsonov,<sup>57</sup> X. Sanchez Castro,<sup>54</sup> L. Šándor,<sup>46</sup> A. Sandoval,<sup>56</sup> M. Sano,<sup>59</sup> G. Santagati,<sup>48</sup> R. Santoro,<sup>6,20</sup> D. Sarkar,<sup>11</sup> E. Scapparone,<sup>19</sup> F. Scarlassara,<sup>72</sup> R. P. Scharenberg,<sup>69</sup> C. Schiaua,<sup>27</sup> R. Schicker,<sup>29</sup> C. Schmidt,<sup>28</sup> H. R. Schmidt,<sup>109</sup> S. Schuchmann,<sup>35</sup> J. Schukraft,<sup>6</sup> T. Schuster,<sup>4</sup> Y. Schutz,<sup>6,34</sup> K. Schwarz,<sup>28</sup> K. Schweda,<sup>28</sup> G. Scioli,<sup>10</sup> E. Scomparin,<sup>7</sup> R. Scott,<sup>120</sup> P. A. Scott,<sup>18</sup> G. Segato,<sup>72</sup> I. Selyuzhenkov,<sup>28</sup> S. Senyukov,<sup>54</sup> J. Seo,<sup>85</sup> S. Serce,<sup>78</sup> E. Serradilla,<sup>61,56</sup> A. Sevcenco,<sup>91</sup> A. Shabetai,<sup>34</sup> G. Shabratova,<sup>50</sup> R. Shahoyan,<sup>6</sup> S. Sharma,<sup>44</sup> N. Sharma,<sup>120</sup> S. Rohni,<sup>44</sup> K. Shigaki,<sup>128</sup> K. Shtejer,<sup>79</sup> Y. Sibiriyak,<sup>17</sup> S. Siddhanta,<sup>86</sup> T. Siemiarczuk,<sup>96</sup> D. Silvermyr,<sup>38</sup> C. Silvestre,<sup>36</sup> G. Simatovic,<sup>90,32</sup> G. Simonetti,<sup>6</sup> R. Singaraju,<sup>11</sup> R. Singh,<sup>44</sup> S. Singha,<sup>11,124</sup> V. Singhal,<sup>11</sup> T. Sinha,<sup>81</sup> B. C. Sinha,<sup>11</sup> B. Sitar,<sup>70</sup> M. Sitta,<sup>88</sup> T. B. Skaali,<sup>51</sup> K. Skjerdal,<sup>25</sup> R. Smakal,<sup>2</sup> N. Smirnov,<sup>4</sup> R. J. M. Snellings,<sup>58</sup> C. Sjøgaard,<sup>84</sup> R. Soltz,<sup>1</sup> M. Song,<sup>80</sup> J. Song,<sup>85</sup> C. Soos,<sup>6</sup> F. Soramel,<sup>72</sup> I. Sputowska,<sup>49</sup> M. Spyropoulou-Stassinaki,<sup>100</sup> B. K. Srivastava,<sup>69</sup> J. Stachel,<sup>29</sup> I. Stan,<sup>91</sup> G. Stefanek,<sup>96</sup> M. Steinpreis,<sup>31</sup> E. Stenlund,<sup>84</sup> G. Steyn,<sup>40</sup> J. H. Stiller,<sup>29</sup> D. Stocco,<sup>34</sup> M. Stolpovskiy,<sup>64</sup> P. Strmen,<sup>70</sup> A. A. P. Suaide,<sup>77</sup> M. A. Subieta Vásquez,<sup>15</sup> T. Sugitate,<sup>128</sup> C. Suire,<sup>87</sup> M. Suleymanov,<sup>13</sup> R. Sultanov,<sup>16</sup> M. Šumbera,<sup>3</sup> T. Susa,<sup>32</sup> T. J. M. Symons,<sup>68</sup> A. Szanto de Toledo,<sup>77</sup> I. Szarka,<sup>70</sup> A. Szczepankiewicz,<sup>6</sup> M. Szymański,<sup>105</sup> J. Takahashi,<sup>93</sup> M. A. Tangaro,<sup>24</sup> J. D. Tapia Takaki,<sup>87</sup> A. Tarantola Peloni,<sup>35</sup> A. Tarazona Martinez,<sup>6</sup> A. Tauro,<sup>6</sup> G. Tejada Muñoz,<sup>89</sup> A. Telesca,<sup>6</sup> A. Ter Minasyan,<sup>17</sup> C. Terrevoli,<sup>24</sup> J. Thäder,<sup>28</sup> D. Thomas,<sup>58</sup> R. Tieulent,<sup>83</sup> A. R. Timmins,<sup>55</sup> D. Tlusty,<sup>2</sup> A. Toia,<sup>23,72,33</sup> H. Torii,<sup>107</sup> L. Toscano,<sup>7</sup> V. Trubnikov,<sup>21</sup> D. Truesdale,<sup>31</sup> W. H. Trzaska,<sup>39</sup> T. Tsuji,<sup>107</sup> A. Tumkin,<sup>71</sup> R. Turrisi,<sup>33</sup> T. S. Tveter,<sup>51</sup> J. Ulery,<sup>35</sup> K. Ullaland,<sup>25</sup> J. Ulrich,<sup>129,62</sup> A. Uras,<sup>83</sup> G. M. Urciuoli,<sup>97</sup> G. L. Usai,<sup>78</sup> M. Vajzer,<sup>2,3</sup> M. Vala,<sup>50,46</sup> L. Valencia Palomo,<sup>87</sup> S. Vallero,<sup>15</sup> P. Vande Vyvre,<sup>6</sup> J. W. Van Hoorne,<sup>6</sup> M. van Leeuwen,<sup>58</sup> L. Vannucci,<sup>127</sup> A. Vargas,<sup>89</sup> R. Varma,<sup>53</sup> M. Vasileiou,<sup>100</sup> A. Vasiliev,<sup>17</sup> V. Vechernin,<sup>26</sup> M. Veldhoen,<sup>58</sup> M. Venaruzzo,<sup>75</sup> E. Vercellin,<sup>15</sup> S. Vergara,<sup>89</sup> R. Vernet,<sup>130</sup> M. Verweij,<sup>58</sup> L. Vickovic,<sup>104</sup> G. Viesti,<sup>72</sup> J. Viinikainen,<sup>39</sup> Z. Vilakazi,<sup>40</sup> O. Villalobos Baillie,<sup>18</sup> A. Vinogradov,<sup>17</sup> Y. Vinogradov,<sup>71</sup> L. Vinogradov,<sup>26</sup> T. Virgili,<sup>94</sup> Y. P. Viyogi,<sup>11</sup> A. Vodopyanov,<sup>50</sup> M. A. Völkl,<sup>29</sup> S. Voloshin,<sup>66</sup> K. Voloshin,<sup>16</sup> G. Volpe,<sup>6</sup> B. von Haller,<sup>6</sup> I. Vorobyev,<sup>26</sup> D. Vranic,<sup>28,6</sup> J. Vrláková,<sup>65</sup> B. Vulpescu,<sup>42</sup> A. Vyushin,<sup>71</sup> B. Wagner,<sup>25</sup> V. Wagner,<sup>2</sup> Y. Wang,<sup>73</sup> M. Wang,<sup>73</sup> Y. Wang,<sup>29</sup> K. Watanabe,<sup>59</sup> M. Weber,<sup>55</sup> J. P. Wessels,<sup>30</sup> U. Westerhoff,<sup>30</sup> J. Wiechula,<sup>109</sup> J. Wikne,<sup>51</sup> M. Wilde,<sup>30</sup> G. Wilk,<sup>96</sup> M. C. S. Williams,<sup>19</sup> B. Windelband,<sup>29</sup> M. Winn,<sup>29</sup> C. G. Yaldo,<sup>66</sup> Y. Yamaguchi,<sup>107</sup> S. Yang,<sup>25</sup> H. Yang,<sup>45,58</sup> P. Yang,<sup>73</sup> S. Yasnopolskiy,<sup>17</sup>

J. Yi,<sup>85</sup> Z. Yin,<sup>73</sup> I.-K. Yoo,<sup>85</sup> J. Yoon,<sup>80</sup> X. Yuan,<sup>73</sup> I. Yushmanov,<sup>17</sup> V. Zaccaro,<sup>52</sup> C. Zach,<sup>2</sup> C. Zampolli,<sup>19</sup> S. Zaporozhets,<sup>50</sup> A. Zarochentsev,<sup>26</sup> P. Závada,<sup>119</sup> N. Zaviyalov,<sup>71</sup> H. Zbroszczyk,<sup>105</sup> P. Zelniczek,<sup>62</sup> I. S. Zgura,<sup>91</sup> M. Zhalov,<sup>57</sup> Y. Zhang,<sup>73</sup> H. Zhang,<sup>73</sup> X. Zhang,<sup>68,42,73</sup> D. Zhou,<sup>73</sup> Y. Zhou,<sup>58</sup> F. Zhou,<sup>73</sup> H. Zhu,<sup>73</sup> J. Zhu,<sup>73</sup> X. Zhu,<sup>73</sup> J. Zhu,<sup>73</sup> A. Zichichi,<sup>10,20</sup> A. Zimmermann,<sup>29</sup> G. Zinovjev,<sup>21</sup> Y. Zoccarato,<sup>83</sup> M. Zynovyev,<sup>21</sup> and M. Zyzak<sup>35</sup>

(ALICE Collaboration)

<sup>1</sup>Lawrence Livermore National Laboratory, Livermore, California, USA

<sup>2</sup>Faculty of Nuclear Sciences and Physical Engineering, Czech Technical University in Prague, Prague, Czech Republic

<sup>3</sup>Nuclear Physics Institute, Academy of Sciences of the Czech Republic, Řež u Prahy, Czech Republic

<sup>4</sup>Yale University, New Haven, Connecticut, USA

<sup>5</sup>Physics Department, Panjab University, Chandigarh, India

<sup>6</sup>European Organization for Nuclear Research (CERN), Geneva, Switzerland

<sup>7</sup>Sezione INFN, Turin, Italy

<sup>8</sup>Politecnico di Torino, Turin, Italy

<sup>9</sup>Wigner Research Centre for Physics, Hungarian Academy of Sciences, Budapest, Hungary

<sup>10</sup>Dipartimento di Fisica e Astronomia dell'Università and Sezione INFN, Bologna, Italy

<sup>11</sup>Variable Energy Cyclotron Centre, Kolkata, India

<sup>12</sup>Department of Physics Aligarh Muslim University, Aligarh, India

<sup>13</sup>COMSATS Institute of Information Technology (CIIT), Islamabad, Pakistan

<sup>14</sup>Korea Institute of Science and Technology Information, Daejeon, South Korea

<sup>15</sup>Dipartimento di Fisica dell'Università and Sezione INFN, Turin, Italy

<sup>16</sup>Institute for Theoretical and Experimental Physics, Moscow, Russia

<sup>17</sup>Russian Research Centre Kurchatov Institute, Moscow, Russia

<sup>18</sup>School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom

<sup>19</sup>Sezione INFN, Bologna, Italy

<sup>20</sup>Centro Fermi-Museo Storico della Fisica e Centro Studi e Ricerche "Enrico Fermi," Rome, Italy

<sup>21</sup>Bogolyubov Institute for Theoretical Physics, Kiev, Ukraine

<sup>22</sup>Faculty of Engineering, Bergen University College, Bergen, Norway

<sup>23</sup>Frankfurt Institute for Advanced Studies, Johann Wolfgang Goethe-Universität Frankfurt, Frankfurt, Germany

<sup>24</sup>Dipartimento Interateneo di Fisica "M. Merlin" and Sezione INFN, Bari, Italy

<sup>25</sup>Department of Physics and Technology, University of Bergen, Bergen, Norway

<sup>26</sup>V. Fock Institute for Physics, St. Petersburg State University, St. Petersburg, Russia

<sup>27</sup>National Institute for Physics and Nuclear Engineering, Bucharest, Romania

<sup>28</sup>Research Division and ExtreMe Matter Institute EMMI, GSI Helmholtzzentrum für Schwerionenforschung, Darmstadt, Germany

<sup>29</sup>Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany

<sup>30</sup>Institut für Kernphysik, Westfälische Wilhelms-Universität Münster, Münster, Germany

<sup>31</sup>Department of Physics, The Ohio State University, Columbus, Ohio, USA

<sup>32</sup>Rudjer Bošković Institute, Zagreb, Croatia

<sup>33</sup>Sezione INFN, Padova, Italy

<sup>34</sup>SUBATECH, Ecole des Mines de Nantes, Université de Nantes, CNRS-IN2P3, Nantes, France

<sup>35</sup>Institut für Kernphysik, Johann Wolfgang Goethe-Universität Frankfurt, Frankfurt, Germany

<sup>36</sup>Laboratoire de Physique Subatomique et de Cosmologie (LPSC), Université Joseph Fourier, CNRS-IN2P3,

Institut Polytechnique de Grenoble, Grenoble, France

<sup>37</sup>Departamento de Física de Partículas and IGFAE, Universidad de Santiago de Compostela, Santiago de Compostela, Spain

<sup>38</sup>Oak Ridge National Laboratory, Oak Ridge, Tennessee, USA

<sup>39</sup>Helsinki Institute of Physics (HIP) and University of Jyväskylä, Jyväskylä, Finland

<sup>40</sup>Physics Department, University of Cape Town and iThemba LABS, National Research Foundation, Somerset West, South Africa

<sup>41</sup>Sezione INFN, Catania, Italy

<sup>42</sup>Laboratoire de Physique Corpusculaire (LPC), Clermont Université, Université Blaise Pascal, CNRS-IN2P3,

Clermont-Ferrand, France

<sup>43</sup>Gangneung-Wonju National University, Gangneung, South Korea

<sup>44</sup>Physics Department, University of Jammu, Jammu, India

<sup>45</sup>Commissariat à l'Énergie Atomique, IRFU, Saclay, France

<sup>46</sup>Institute of Experimental Physics, Slovak Academy of Sciences, Košice, Slovakia

<sup>47</sup>Institute of Physics, Bhubaneswar, India

<sup>48</sup>Dipartimento di Fisica e Astronomia dell'Università and Sezione INFN, Catania, Italy

<sup>49</sup>The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Cracow, Poland

<sup>50</sup>Joint Institute for Nuclear Research (JINR), Dubna, Russia

- <sup>51</sup>*Department of Physics, University of Oslo, Oslo, Norway*
- <sup>52</sup>*Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark*
- <sup>53</sup>*Indian Institute of Technology Bombay (IIT), Mumbai, India*
- <sup>54</sup>*Institut Pluridisciplinaire Hubert Curien (IPHC), Université de Strasbourg, CNRS-IN2P3, Strasbourg, France*
- <sup>55</sup>*University of Houston, Houston, Texas, USA*
- <sup>56</sup>*Instituto de Física, Universidad Nacional Autónoma de México, Mexico City, Mexico*
- <sup>57</sup>*Petersburg Nuclear Physics Institute, Gatchina, Russia*
- <sup>58</sup>*Nikhef, National Institute for Subatomic Physics and Institute for Subatomic Physics of Utrecht University, Utrecht, Netherlands*
- <sup>59</sup>*University of Tsukuba, Tsukuba, Japan*
- <sup>60</sup>*Laboratori Nazionali di Frascati, INFN, Frascati, Italy*
- <sup>61</sup>*Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain*
- <sup>62</sup>*Institut für Informatik, Johann Wolfgang Goethe-Universität Frankfurt, Frankfurt, Germany*
- <sup>63</sup>*Moscow Engineering Physics Institute, Moscow, Russia*
- <sup>64</sup>*Institute for High Energy Physics, Protvino, Russia*
- <sup>65</sup>*Faculty of Science, P.J. Šafárik University, Košice, Slovakia*
- <sup>66</sup>*Wayne State University, Detroit, Michigan, USA*
- <sup>67</sup>*Nikhef, National Institute for Subatomic Physics, Amsterdam, Netherlands*
- <sup>68</sup>*Lawrence Berkeley National Laboratory, Berkeley, California, USA*
- <sup>69</sup>*Purdue University, West Lafayette, Indiana, USA*
- <sup>70</sup>*Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava, Slovakia*
- <sup>71</sup>*Russian Federal Nuclear Center (VNIIEF), Sarov, Russia*
- <sup>72</sup>*Dipartimento di Fisica e Astronomia dell'Università and Sezione INFN, Padova, Italy*
- <sup>73</sup>*Central China Normal University, Wuhan, China*
- <sup>74</sup>*Sección Física, Departamento de Ciencias, Pontificia Universidad Católica del Perú, Lima, Peru*
- <sup>75</sup>*Dipartimento di Fisica dell'Università and Sezione INFN, Trieste, Italy*
- <sup>76</sup>*Centro de Investigación y de Estudios Avanzados (CINVESTAV), Mexico City and Mérida, Mexico*
- <sup>77</sup>*Universidade de São Paulo (USP), São Paulo, Brazil*
- <sup>78</sup>*Dipartimento di Fisica dell'Università and Sezione INFN, Cagliari, Italy*
- <sup>79</sup>*Centro de Aplicaciones Tecnológicas y Desarrollo Nuclear (CEADEN), Havana, Cuba*
- <sup>80</sup>*Yonsei University, Seoul, South Korea*
- <sup>81</sup>*Saha Institute of Nuclear Physics, Kolkata, India*
- <sup>82</sup>*Physics Department, Creighton University, Omaha, Nebraska, USA*
- <sup>83</sup>*Université de Lyon, Université Lyon 1, CNRS/IN2P3, IPN-Lyon, Villeurbanne, France*
- <sup>84</sup>*Division of Experimental High Energy Physics, University of Lund, Lund, Sweden*
- <sup>85</sup>*Pusan National University, Pusan, South Korea*
- <sup>86</sup>*Sezione INFN, Cagliari, Italy*
- <sup>87</sup>*Institut de Physique Nucléaire d'Orsay (IPNO), Université Paris-Sud, CNRS-IN2P3, Orsay, France*
- <sup>88</sup>*Dipartimento di Scienze e Innovazione Tecnologica dell'Università del Piemonte Orientale and Gruppo Collegato INFN, Alessandria, Italy*
- <sup>89</sup>*Benemérita Universidad Autónoma de Puebla, Puebla, Mexico*
- <sup>90</sup>*Instituto de Ciencias Nucleares, Universidad Nacional Autónoma de México, Mexico City, Mexico*
- <sup>91</sup>*Institute of Space Sciences (ISS), Bucharest, Romania*
- <sup>92</sup>*Bose Institute, Department of Physics and Centre for Astroparticle Physics and Space Science (CAPSS), Kolkata, India*
- <sup>93</sup>*Universidade Estadual de Campinas (UNICAMP), Campinas, Brazil*
- <sup>94</sup>*Dipartimento di Fisica 'E.R. Caianiello' dell'Università and Gruppo Collegato INFN, Salerno, Italy*
- <sup>95</sup>*Sezione INFN, Bari, Italy*
- <sup>96</sup>*National Centre for Nuclear Studies, Warsaw, Poland*
- <sup>97</sup>*Sezione INFN, Rome, Italy*
- <sup>98</sup>*Chicago State University, Chicago, Illinois, USA*
- <sup>99</sup>*Institute for Nuclear Research, Academy of Sciences, Moscow, Russia*
- <sup>100</sup>*Physics Department, University of Athens, Athens, Greece*
- <sup>101</sup>*Sezione INFN, Trieste, Italy*
- <sup>102</sup>*Universidad Autónoma de Sinaloa, Culiacán, Mexico*
- <sup>103</sup>*Physics Department, University of Rajasthan, Jaipur, India*
- <sup>104</sup>*Technical University of Split FESB, Split, Croatia*
- <sup>105</sup>*Warsaw University of Technology, Warsaw, Poland*
- <sup>106</sup>*A. I. Alikhanyan National Science Laboratory (Yerevan Physics Institute) Foundation, Yerevan, Armenia*
- <sup>107</sup>*University of Tokyo, Tokyo, Japan*
- <sup>108</sup>*Department of Physics, Sejong University, Seoul, South Korea*
- <sup>109</sup>*Eberhard Karls Universität Tübingen, Tübingen, Germany*
- <sup>110</sup>*KTO Karatay University, Konya, Turkey*

- <sup>111</sup>Zentrum für Technologietransfer und Telekommunikation (ZTT), Fachhochschule Worms, Worms, Germany  
<sup>112</sup>Technische Universität München, Munich, Germany  
<sup>113</sup>California Polytechnic State University, San Luis Obispo, California, USA  
<sup>114</sup>The University of Texas at Austin, Physics Department, Austin, Texas, USA  
<sup>115</sup>Vestfold University College, Tonsberg, Norway  
<sup>116</sup>Nuclear Physics Group, STFC Daresbury Laboratory, Daresbury, United Kingdom  
<sup>117</sup>Institut für Kernphysik, Technische Universität Darmstadt, Darmstadt, Germany  
<sup>118</sup>M. V. Lomonosov Moscow State University, D. V. Skobeltsyn Institute of Nuclear Physics, Moscow, Russia  
<sup>119</sup>Institute of Physics, Academy of Sciences of the Czech Republic, Prague, Czech Republic  
<sup>120</sup>University of Tennessee, Knoxville, Tennessee, USA  
<sup>121</sup>Indian Institute of Technology Indore, Indore, India (IITI)  
<sup>122</sup>Dipartimento di Fisica dell'Università "La Sapienza" and Sezione INFN, Rome, Italy  
<sup>123</sup>University of Belgrade, Faculty of Physics and "Vina" Institute of Nuclear Sciences, Belgrade, Serbia  
<sup>124</sup>National Institute of Science Education and Research, Bhubaneswar, India  
<sup>125</sup>Budker Institute for Nuclear Physics, Novosibirsk, Russia  
<sup>126</sup>Institut of Theoretical Physics, University of Wrocław, Wrocław, Poland  
<sup>127</sup>Laboratori Nazionali di Legnaro, INFN, Legnaro, Italy  
<sup>128</sup>Hiroshima University, Hiroshima, Japan  
<sup>129</sup>Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany  
<sup>130</sup>Centre de Calcul de l'IN2P3, Villeurbanne, France